

Subject Index

Subject	Page (Volume)
A	
Acoustic Emission	57 (1), 921 (2), 1863 (3)
Adaptive Finite Element Analysis	861 (2), 1087 (2)
AE (acoustic emission)	3 (1)
Aggregate	151 (1), 171 (1), 223 (1)
- Size	161 (1), 181 (1)
- Type	181 (1)
Amplitude	57 (1)
Analytical Solutions	409 (1)
Anchor	901 (2)
Anchoring Stresses	1793 (3)
ASR	1687 (3)
Autoclave Curing	205 (1)
Axial Load	1993 (3)
B	
Back Analysis	89 (1)
Bending	377 (1)
- Moment	1993 (3)
- Test Device	1695 (3)
- Strength	223 (1)
Bifurcation	335 (1), 961 (2)
Bilinear s-w relation	315 (1)
Bond	675 (1), 1851 (3)
- Degradation	541 (1)
- Slip Model	1557 (3), 1625 (3)
Boundary Element Method	1829 (3), 1949 (3)
- Rotatability	377 (1)
Brazilian Test	111 (1), 575 (1)
Brittle-Ductile Transition	1567 (3)
Brittleness	551 (1), 2031 (3)
Bypass Loading	1695 (3)
C	
C-Shaped Specimen	1993 (3)
Cement Paste	223 (1)
Cementitious Composite	499 (1), 1793 (3)
CFRP	1727 (3)
Chan Failure	1883 (3)
Characteristic Length	551 (1)
Chloride Diffusion	1655 (3)
Circular Slab	2051 (3)
Cohesive Crack	749 (1), 1557 (3), 1567 (3)
- Crack Model	131 (1), 377 (1), 1087 (2), 1615 (3)
- Force	399 (1), 431 (1), 409 (1)
Columns	2041 (3)
Compaction	615 (1)
Composites	1027 (2), 1077 (2), 1537 (3), 1715 (3), 1793 (3), 1805 (3)
Compression	1905 (3), 1949 (3)
Compressive Failure	335 (1), 1983 (3)
Computer Vision	17 (1)
Concrete Beams	1863 (3)

- Deterioration	1655 (3)
- Compaction	605 (1)
- Fracture	17 (1), 931 (2), 1655 (3), 2083 (3)
- High Strength and Lightweight	141 (1)
- Joints	1593 (3)
- Strengthening	1793 (3)
- Structures	25 (1), 1579 (3)
Consistent Algorithm	1127 (2)
Constitutive Model	803 (1), 1043 (2)
- Theory	1117 (2)
Contact Mechanics	1635 (3)
Crack	57 (1), 305 (1), 1015 (2), 1615 (3), 2011 (3)
- Closure	1635 (3)
- Control	1625 (3)
- Density	1055 (2)
- Length	625 (1)
- Monitoring	25 (1)
- Path	761 (1)
- Propagation	655 (1), 1055 (2), 1669 (3)
- Propagation in Concrete Beams	315 (1)
- Turning	441 (1)
- Velocity	575 (1)
Cracking	645 (1), 739 (1), 773 (1), 1501 (3), 1605 (3), 1771 (3)
- Due to Corrosion of Rebar	1829 (3)
- Initiation	431 (1)
- of Concrete	901 (2)
Creep	1615 (3)
- Rupture	1893 (3)
Crush Zone	761 (1)
Curing Age	181 (1)
Cyclic Damage	635 (1)
- Loading	655 (1), 675 (1), 685 (1), 707 (1), 717 (1), 1523 (3)
- Thermal Load	1605 (3)

D

Dam	1615 (3)
Damage	357 (1), 625 (1), 685 (1), 761 (1), 1027 (2), 1523 (3)
	1771 (3)
- Concept	993 (2)
- Index	697 (1)
- Indicator	707 (1)
- Mechanics	615 (1)
- Propability Matrix	697 (1)
Damping	685 (1)
Debonding	1727 (3), 1751 (3)
Degree of Saturation	269 (1)
Delamination	1707 (3), 1783 (3)
DEM	949 (2)
Depth Density	293 (1)
Discrete Crack Model	1677 (3)
Design	2063 (3)
Deterioration	1579 (3)
Digital Image	1077 (2)
Discrete Model	305 (1), 961 (2), 2083 (3)
Discrimination	57 (1)
Dispersion Analysis	827 (2)
Dissipation	685 (1)
Distinct Element Method	931 (2)

Double-Edge-Notched Beam	981 (2)
Double-Edge notched Specimens	773 (1)
Double-K Fracture Parameters	431 (1)
D-RAP Method	1873 (3)
Drying	1707 (3)
DSP	551 (1)
Ductility	499 (1), 1463 (3), 1579 (3), 2041 (3)
Durable Repair	1817 (3)
Dynamic Analysis	939 (2)
Dynamic Strength	575 (1)
Dynamic Testing	593 (1)

E

Eigenstresses	233 (1)
Elastic Energy	347 (1)
Elasto-Plastic Analysis	1117(2)
Embedded Discontinuity Concept	843 (2)
Energy	2103 (3)
- Criterion	521 (1), 1015 (2)
- of Crack Formation	1695 (3)
Epoxy Resin Mortar	1873 (3)
Equivalent Flexural Strength	465 (1)
Error Estimation	861 (2)
Expansion	1687 (3)
Experimental Methods	605 (1), 815 (1), 1937 (3))
Extensile Hydraulic Fracturing	269 (1)

F

Failure	971 (2), 1537 (3), 1783 (3), 2063 (3)
- Mechanismus	793 (1)
- Probalibility	1883 (3)
- Process	1579 (3)
Fatigue	541 (1), 625 (1), 635 (1), 645 (1), 707 (1)
Fibre	645 (1), 2103 (3)
- Composite	1477 (3)
- Optic Sensor	25 (1)
- Reinforced Concrete	477 (1), 511 (1), 531 (1), 541 (1), 561 (1), 1829 (3)
- Reinforced Polymers	1761 (3)
Fictitious Crack	347 (1), 399 (1), 409 (1), 2083 (3)
- Method	315 (1)
- Model	431 (1)
Finite Elements	305 (1), 971 (2), 1523 (3), 1655 (3)
- Analysis	487 (1), 675 (1), 1127 (2), 1465 (3),1511 (3), 2093 (3)
- Method	729 (1), 1065 (2), 1107 (2), 2083 (3)
Fixed/Rotating Models	843 (2)
Flexural Strength	1645 (3)
- Resistance	2121 (3)
- Toughness	465 (1)
Four-Point-Shear	981 (2)
Fractal Dimension	1645 (3)
- Geometry	281 (1)
Fracture Energy	79 (1), 89 (1), 161 (1), 305 (1), 377 (1), 387 (1), 465 (1), 635 (1), 1501 (3), 1645 (3), 1669 (3), 1841 (3), 1923 (3), 1937 (3)
- Mechanics	101 (1), 551 (1), 645 (1), 773 (1), 1055 (2), 1557 (3), 1739 (3), 1761 (3), 1863 (3), 1973 (3)
- Parameter	455 (1)

- Process	1137 (2)
- Process Zone	3 (1), 141 (1), 181 (1), 409 (1)
- Surface	281 (1)
- Toughness	223 (1), 665 (1), 2011 (3)
- Toughness Curves	181 (1)
- Toughness Testing	441 (1)
Frames	1523 (3)
Frame Corners	1511 (3)
Free Edge	2011 (3)
Freeze-Thaw Deterioration	1695 (3)
Frequency	57 (1)
FRP Composite Laminate	1771 (3)
FRP Sheets	1863 (3)
FRP Tendon	1893 (3)

G

Geometrical Nonlinearity	993 (2)
Gradient	827 (2)
- Enhanced Damage Model	1065 (2)
- Damage	981 (2)
- Plasticity	971 (2), 1157 (2)

H

Hardening Analysis	1147 (2)
Headed Anchors	2083 (3)
Heat Conduction	1605 (3)
High Strain Rates	575 (1)
High Strength Concrete	161 (1), 575 (1), 773 (1), 1147 (2), 1501 (3), 1547 (3), 1491 (3), 1851 (3)
- Mortar	205, 243 (1)
High Temperatures	253 (1)
High-Performance Concrete	151 (1)
High-Strength Fiber Reinforced Concrete	455 (1)
Homogenization	1015 (2)
Hoop	717 (1)
Hopkinson bar	575 (1)
Hydrostatic Test	605 (1)

I

Image Analysis	47 (1)
- Processing	815 (1)
Incline Density	293 (1)
Infrastructure	1715 (3), 1863 (3)
Interface	561 (1), 961 (2), 1783 (3), 1851 (3)
- Crack	1841 (3)
- Fracture Toughness	1817 (3)
- Property	1817 (3)
- Shear	1635 (3)
Internal Friction Angle	325 (1)
- Structure	171 (1)

J

Jacketing	1727 (3)
J-integral Base Method	347 (1)

K	
Kolsky's Bar	593 (1)
KR-Curve	399 (1), 409 (1)
L	
Lagrange Multipliers	1065 (2)
Large Deformation	911 (2)
Late Hydration	243 (1)
Lattice Model	561 (1), 887 (2)
Level II three-point bending test	665 (1)
Lifetime	697 (1)
Lightly-RC beams	1557 (3)
Linear Elastic Fracture Mechanics	1829 (3)
- Softening	131 (1)
Linings	1751 (3)
Load Ratio	1893 (3)
- relaxation	665 (1)
Loading Rate	89 (1)
Local Behaviour	1087 (2)
Localisation	815 (1), 827 (2), 861 (2)
Low Temperature	1593 (3)
M	
Masonry	2001 (3)
Mass Concrete	101 (1)
Material Structure	887 (2)
- Testing	101 (1)
Mean Depth	293 (1)
Mechanisms of Fracture	421 (1)
Micro Cracking	223 (1), 243 (1), 921(2), 1695 (3)
-fracture	521 (1)
-hardness	243 (1)
-plane Models	827 (2), 1523 (3)
-scanning	181 (1)
structure	205 (1)
Microscopic Damage	1043 (2)
Mix Design	551 (1)
Mixed Finite Element	1077 (2)
Mixed Mode	729 (1), 739 (1), 749 (1)
Mixed-mode Fracture	67 (1)
Mode I Griffith Crack	409 (1)
Mode II Tests	773 (1)
Modeling	531 (1)
Modified Gauss Point	793 (1)
Modulus of Elasticity	205 (1)
Moment Tensor Analysis	1863 (3)
Moment Tensor Analysis of Acoustic emission	67 (1)
Morphology	2021 (3)
Mortar	223 (1)
- Matrix	499 (1)
-aggregate Interface	181 (1)
Multiple Cracking	499 (1)
Multiple-FRP Tendon	1883 (3)

N	
Natural Fiber	477 (1)
NDE	11 (1)
Network Geometry	887 (2)
Nominal Strength	1923 (3)
Non-Continuum Model	939 (2)
Nonlinear Analysis	911 (2)
- Fracture Mechanics	675 (1), 1511 (3)
Nonlocal	981 (2), 1157 (2)
Non-Metallic Fibres	1491 (3), 1547 (3)
Non-Standard Compressive Strength	1973 (3)
Non-Proportional Loading	803 (1)
Normalized Depth	293 (1)
Normalized Stress Intensity Factors	67 (1)
Numerical Analysis	377 (1), 1983 (3)
- Experiments	399 (1)
- Method	2031 (3)
- Simulation	531 (1), 593 (1), 2001 (3)
- Study	773 (1)
O	
Oedometric Test	605 (1)
Optimization	551 (1)
Oven Curing	205 (1)
Overlays	1751 (3)
P	
Paris Law	625 (1)
Particle Model	931 (2)
- Size	1687 (3)
Permeability	269 (1)
Physical Parameters	949 (2)
Plasticity	615 (1), 803 (1), 1107 (2)
Poly-Linear Tension	455 (1)
Porous Materials	269 (1), 615 (1)
- Microstructure	281 (1)
Pre-Fabricated Panels	1873 (3)
Protective coatings	1707 (3)
Pseudo-Strain-Hardening	487 (1), 1477 (3)
Pullout Model	521 (1)
- Tests	2083 (3)
Punchthrough Shear	761 (1)
R	
R-Curve	455 (1), 487 (1), 1501 (3)
Random Aggregate Distribution	793 (1)
Rehabilitation	1805 (3)
Reinforced Concrete	717 (1), 911 (2), 1511 (3), 1523 (3), 1677 (3), 1707 (3), 1727(3), 2051(3), 2075 (3), 2113 (3)
- Beam	2063 (3)
- Columns	993 (2), 1463 (3)
- Footing	2093 (3)
- Slabs	1873 (3)
- Structure	697 (1), 707 (1)
- Panels	1501 (3)

Reinforcement	1005 (2), 2041 (3)
Reinforcement Corrosion	1669 (3)
- cover	1567 (3)
Reliability Analysis	1065 (2), 1883 (3)
Repair	1715 (3), 1739 (3), 1751 (3), 1873 (3)
- Materials	1593 (3), 1841 (3)
- Systems	1707 (3)
Replica	625 (1)
- Scaling	1963
Representative Volume	79 (1)
Retrofit	1715 (3), 1739 (3), 1771 (3), 1783 (3), 1805 (3), 1851 (3)
Rigid Bodies-Spring Model	901 (2), 921 (2)
Rod Elements	2083 (3)
Roughness	181 (1), 1645 (3)
Round Double Beam Specimen	441 (1)
Rupture Mechanisms	121 (1)
S	
Scaling	1537 (3)
Scanning Electron Microscopy	47 (1)
Seismic Design	697 (1)
Seismic Risk	697 (1)
Seismic Retrofitting	1727 (3)
Series Linking Model	2121 (3)
Separation of Assignments	1707 (3)
Shear	1463 (3), 2063 (3), 2075 (3)
Shear Capacity	1491 (3)
- Element	1477 (3)
- Fracture	761 (1)
- Softening	773 (1)
- Strength	717 (1), 773 (1), 2051 (3)
- Transfer	773 (1)
Short Fiber	499 (1), 1477 (3)
- Composites	487 (1)
Shrinkage	1147 (2), 1707 (3), 1841 (3)
Simplified Method	993 (2)
Simulation	1137 (2)
Single-Edge-Notched Beam	981 (2)
Size Effect	121 (1), 749 (1), 1043 (2), 1137 (2), 1905 (3), 1923 (3), 1963 (3), 1973 (3), 1983 (3), 1993 (3), 2001 (3), 2011 (3), 2021 (3), 2031 (3), 2051 (3), 2063 (3), 2075 (3), 2083 (3), 2093 (3), 2103 (3), 2113 (3), 2121 (3)
Small-Scale yielding	487 (1)
Smearred Cracks	1107 (2)
- models	827 (2)
- tip model	1567 (3)
Softening	171 (1), 803 (1)
- Analysis	455 (1)
- curve	131 (1)
- Diagram	477 (1)
Solidification	1027 (2)
SP	
Spalling	253 (1)
Specimen Size	89 (1)
Spectrum	1645 (3)
Splicing of reinforcement	1511 (3)

Splitting Failure	675 (1)
- Test	121 (1), 325 (1)
- Tension	111 (1)

ST

Stability Criterion	79 (1)
Standard Tests	431 (1)
Steam Curing	205 (1)
Steel Corrosion	1655 (3)
- Fibres	1491 (3), 1547 (3)
- Fiber Reinforced Concrete	465 (1), 521 (1)
Stereology	47 (1)
Stochastic Imperfections	1065 (2)
Strain	815 (1)
Strain Localization	971 (2), 1127 (2), 1157 (2)
- Rate	1963
- Softening	347 (1), 1055 (2), 1937 (3), 1949 (3)
Strength	205 (1), 1687 (3), 2031 (3)
Stengthening	1761 (3)
Stress-Crack Opening Relationship	511 (1)
Stress-induced Microcracking	47 (1)
Stress Intensity Factors	1605 (3)
Structural Performance	1739 (3)
Studs	1537 (3)
Stress-Strain Curve	205 (1)

T

Tangent Stiffness of Composites	1055 (2)
Temperature	1147 (2)
Tensile Strength	121 (1), 131 (1), 325 (1), 511 (1)
Tension	1905 (3)
- Softening	1669 (3)
- - Curve	89 (1), 347 (1), 387 (1)
- - Diagram	181 (1), 367 (1), 465 (1), 499 (1), 1841 (3)
- Stiffening	1547 (3)
Test Method	367 (1), 387 (1), 511 (1)
Thermal Crack	1625 (3)
Thermodynamics	1027 (2)
Three Demensional Analysis	35 (1)
Three Level Approach	887 (2)
Three-Point Bending	399 (1)
Tomography	35 (1)
Toppings	1751 (3)
Transfer of Variables	861 (2)
Trapezoidal Softening	131 (1)
Trapping Mechanism	1817 (3)
Triaxial Compression	605 (1)
- Test	793 (1)

U

Uniaxial Tensile Strength	1501 (3)
- Tensile Test	1491 (3), 1547 (3), 1695 (3)
- Tension	347(1), 367 (1), 377 (1), 1923 (3)
Unified Concrete Plasticity Model	1005 (2)
Unified Model	1127 (2)
Unreinforced	441 (1)

Unstable Fracture	431 (1)
Unsymmetrical Fracture Process Zone	1097 (2)
V	
Viscoelasticity	1027
Visco-elasto-plastic Suspension Element Method	939 (2)
W	
Water Leakage	1677 (3)
Wedge-Splitting Test	1677 (3)
Wedge Theory	325 (1)
Wet-Screening	101 (1)
X	
X-Ray	3 (1), 35 (1), 181 (1)
Y	
Yield criterion	1117 (2)
Young's Modulus	223 (1)